



FIN-Window Slim-line Twin 77  
PVC-PVC

## Company building in Piove di Sacco

A pleasant working atmosphere with FIN-Vista and FIN-Window.

SCM Frigo, a refrigeration company based in Piove di Sacco, near Padova, completely renewed its site in 2021. The administrative section, with its offices, meeting rooms and cafeteria, is distinguished by its impressive entrance area and simple, modern look. The large window walls suggest transparency and allow the boundaries between exterior and interior to merge. The flowing transition to the façade is evoked by the colour-matched quartz grey of the aluminium window frames.

In the office areas the silk-grey PVC frames of the FIN-Window glazing make for a harmonious atmosphere. In the Twin version they consist of two interconnected window sashes: the Venetian blinds in the gap between the panes are well protected against wind, rain and dirt: each employee can therefore adjust the incidence of light and sun to his or her individual needs, thus ensuring a comfortable and productive workplace.

<b>Type of building</b>	Commercial
<b>Construction</b>	2020
<b>Project</b>	New build/conversion
<b>Planning</b>	Carlo Tonon
<b>Country</b>	Italy
<b>Region</b>	Veneto
<b>Locality</b>	Piove di Sacco
<b>Photographer</b>	Claudio Caporello



**Viss Senso di Casa**  
Via L. Ariosto, 43  
35128 Padova  
Italy  
[049 5012754](tel:0495012754)  
[padova@viss.it](mailto:padova@viss.it)  
[www.viss.it](http://www.viss.it)





**Company building in Piove di Sacco**

A pleasant working atmosphere with FIN-Vista and FIN-Window.

[www.finstral.com/en/references/company-building-in-piove-di-sacco/311-4289.html](http://www.finstral.com/en/references/company-building-in-piove-di-sacco/311-4289.html)



# Products used

$U_w$  - Heat transmittance coefficient of window element

$R_w$  - Sound insulation properties of a window

**npd** - No performance determined



## FIN-Window Slim-line Twin 77

*PVC-PVC*

$U_w$  1-sash 2-/3-glazing:

1,0 / 0,88 W/m<sup>2</sup>K

$U_w$  2-sash 2-/3-glazing:

1,2 / 1,1 W/m<sup>2</sup>K

$R_w$  Standard:

42 (-3;-9) db

$R_w$  Best value:

47 (-2;-5) db



## FIN-Vista

*aluminium-PVC*

Modular mullion-transom system for window walls. Can be combined with all windows, sliding and folding doors.

Product data sheets and more information at  
[www.finstral.com/range](http://www.finstral.com/range)